

EP02 - PU Foam Ear Plug (200 pairs)

Collection: Ear Plugs

Range: Hearing Protection

Materials: PU Foam

Inner Pack: 200

Outer Carton: 10

Product information

Disposable ear plugs made from soft PU foam Easy to adapt inside the earing canal and rapidly expanding to offer immediate protection against harmful noises Each pair inside individual hygienic polybag Excellent attenuation rate


Hearing Protection

Hearing problems occur when you are exposed to hazardous working conditions without wearing the correct protective equipment.

Standards

EN 352-2 (SNR 36dB)

ANSI S3.19 (32dB)



Features

- CE-CAT III
- Retail box which aids presentation for retail sales
- Individually packed for vending machines

Colors

	Range
Orange	-

PORTWEST[®]

PRODUCT SPECIFICATION & TECHNICAL DATA

EP02 - PU Foam Ear Plug (200 pairs)

Commodity Code: 6506101000

Test House

Michael & Associates, Inc. (Notified Body No.:)
2766 W. College Ave Suite 1
PA 16801, United States
Cert No: Q1441A

ALIENOR CERTIFICATION (Notified Body No.: 2754)

ZA du Sanital
86100 , France
Cert No: 2754/1246/159/06/18/0288

CARTON DIMENSIONS/WEIGHT

Item	Colour	Len	Wid	Hgt	Weight (Kg)	Cubic (m ³)	EAN13	DUN14
EP02ORR	Orange	60.0	35.0	33.0	0.4900	0.0693	5036108171941	15036108622365

PERFORMANCES - SOUND ATTENUATION - EN352-2:2002

EP02/EP08/EP30

A	Frequency (Hz)	125	250	500	1000	2000	4000	8000
B	Means Attenuation (dB)	36.5	34.2	39.1	37.8	39.6	44.9	46.2
C	Standard Deviation (dB)	4.7	4.5	4.8	5.8	4.0	6.4	6.2
D	Assumed Protection (dB)	31.7	29.7	34.2	32.0	35.5	38.5	40.1

SNR = 36 dB H = 36 dB / M = 33 dB / L = 32 dB

PERFORMANCES - SOUND ATTENUATION ANSI S.19-1974

Tested by Michael & Associates, Inc. – 400 Long Lane, PA Furnace, PA 16865, USA

EP02/EP08

A	Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
B	Means Attenuation (dB)	39.8	40.4	42.6	40.3	39.1	45.2	45.7	48.3	47.4
C	Standard Deviation (dB)	3.0	3.9	2.9	3.6	3.7	3.0	2.5	4.9	3.7

NRR (Noise Reduction Rating) = 32 dB

EP02ORR